



July 2011
C-Gate Entry Systems, Ltd.
(419) 843-2990 phone
(419) 841-9399 fax
dan@cgateentry.com

Residential Slide Gate Operators





July 2011
 C-Gate Entry Systems, Ltd.
 (419) 843-2990 phone
 (419) 841-9399 fax
 itentry.com

Linear[®]
 Building On Innovation.

Slide Gate Operators Residential

	“OSCO” operators
Warranty:	2-year parts, 1 year labor
Opening Time:	1 foot per second
Motor Voltage:	115 & 230 volt, single phase only
Control Logic:	Solid State Controller with on board TMC
Gate Size	½ hp - 25’ @ 1,000 lbs. 1 hp – 30’ @ 2,000 lbs.
Duty Cycle	Continuous Duty
Temperature Range	Unknown, but a heater is recommended
Drive:	Pulley to Gear reducer drive
Mounting:	Post mount (requires two 3” posts)
Best Usage:	Commercial / Self Storage



Item	MSRP
SLC (BLACK lift off lid)	
(1/2 hp) 25’ gate @ 1,000#	\$2,189
(1 hp) 30’ gate @ 2,000#	\$2,761
Add for heater	\$180
Add for Torque Limiter Option	\$250
Battery Back Up Version	
SLD (Torque Limiter is standard)	
(1/2 hp) 27’ gate @ 1,000#	\$2,498
Add for heater	\$180
Shipping weight 145 lbs. Plus Freight	\$100
UL 325 packages for above	
Gate Path Photo Beam, complete	\$610
Gate Pocket Photo Beam, complete	\$610
Gate Tail Bump Edge, complete	\$424
Top Roller Covers	\$160
Bottom Roller Covers	\$190
Screening for tail (up to 20’ cant.)	\$180
Screening for tail (over 20’ cant.)	\$230
Accessories & Add Ons	
Shelf (for post mounting)	\$195
Platform (for pad mounting SL-595)	\$520






July 2011
 C-Gate Entry Systems, Ltd.
 (419) 843-2990 phone
 (419) 841-9399 fax
 dan@cgateentry.com

Slide Gate Operator Residential*Post Mount Only*****



	Model 7000 APOLLO operator
Warranty:	2-year parts, 1 year labor
Opening Time:	1 foot per second
Motor Voltage:	12 volt DC with 115 vac required for charger
Control Logic:	Solid State Controller with on board TMC
Gate Size	20' @ 600 lbs.
Limit Switches	Mechanical
Temperature Range	Unknown, but does not require a heater
Drive:	Chain to Gear reducer
Mounting:	Post mount (requires two 3" posts)
Best Usage:	Residential / Solar Option
Advantages	Battery Run, powering a charger, not a motor

Item	MSRP
7000 ETL (BLACK with Front access)	
20' gate @ 600#	
Complete w/ battery & charger	
110 outlet mounted in operator	
Push button for Hard Reset	
Includes 25' of #40 chain & hardware	\$1,995
7000 ETL Operator only	
Includes 25' of #40 chain & hardware	\$1,596
Shipping weight 145 lbs. Plus Freight	\$120
UL 325 packages for above	
Gate Path Photo Beam, complete	\$610
Gate Pocket Photo Beam, complete	\$610
Gate Tail Bump Edge, complete	\$424
Top Roller Covers	\$160
Bottom Roller Covers	\$190
Screening for tail (up to 20' cant.)	\$180
Screening for tail (over 20' cant.)	\$230
Accessories & Add Ons	
Solar Panel Upgrade ADD	\$533
(radio control & photo beams ONLY)	
Low Voltage Kit	
(run low voltage wiring from outlet in house or out building)	
ADD	\$120





July 2011
 C-Gate Entry Systems, Ltd.
 (419) 843-2990 phone
 (419) 841-9399 fax
 dan@cgateentry.com

Slide Gate Operator Residential



	Model 7100 APOLLO operator
Warranty:	2-year parts, 1 year labor
Opening Time:	1 foot per second
Motor Voltage:	12 volt DC with 115 vac required for charger
Control Logic:	Solid State Controller with on board TMC
Gate Size	20' @ 600 lbs.
Limit Switches	Mechanical
Temperature Range	Unknown, but does not require a heater
Drive:	Chain to Gear reducer
Mounting:	Pad, shelf or platform mount
Best Usage:	Residential / Solar Option
Advantages	Battery Run, powering a charger, not a motor



Item	MSRP
7100 ETL (BLACK with lift off lid)	
20' gate @ 600#	
Complete w/ battery & charger	
110 outlet mounted in operator	
Push button for Hard Reset	
Includes 25' of #40 chain & hardware	\$2,195
7100 ETL Operator only	
Includes 25' of #40 chain & hardware	\$1,790
Shipping weight 145 lbs. Plus Freight	\$120
UL 325 packages for above	
Gate Path Photo Beam, complete	\$610
Gate Pocket Photo Beam, complete	\$610
Gate Tail Bump Edge, complete	\$424
Top Roller Covers	\$160
Bottom Roller Covers	\$190
Screening for tail (up to 20' cant.)	\$180
Screening for tail (over 20' cant.)	\$230
Accessories & Add Ons	
Solar Panel Upgrade ADD	\$533
(radio control & photo beams ONLY)	
Low Voltage Kit	
(run low voltage wiring from outlet in house or out building)	
ADD	\$120





July 2011
 C-Gate Entry Systems, Ltd.
 (419) 843-2990 phone
 (419) 841-9399 fax
 dan@cgateentry.com



ADD ONS & Accessories for Apollo Operators

Item	MSRP	
Add Ons		
Operator Shelf	\$190	
Operator Platform (for concrete pad mounting)	\$520	
Heater	\$388	
Bypass switch for use when open controls are by others (pre-wired)	\$175	
Components		
Interstate SRM 24 Deep Cycle Battery	\$125	
Refurbished Deep Cycle Battery	\$65	
6 Amp fully automatic plug in charger (replaces all other chargers)	\$135	
10 watt solar panel	\$230	
20 watt solar panel	\$460	
30 watt solar panel	\$598	
solar panel voltage regulator	\$85	
Pigtail (plugs in to Control Board)	\$26	
Circuit Boards		
635 Control Board	\$260	
636 Control Board	\$350	
835 Control Board	\$340	
836 Control Board	\$430	

